



VAPCO PRODUCTS, INC.

Safety Data Sheet Foamtastic

SECTION 1: Identification

GHS Product identifier

Product name	Foamtastic
Product number	FOM-1, FOM-5, FOM-55
Brand	Vapco

Recommended use of the chemical and restrictions on use

Alkaline-Based Condenser Coil Cleaner

Supplier's details

Name	Vapco Products, Inc.
Address	401 Marshall Road Valley Park, Missouri 63088 United States
Telephone	(636) 923-2121
Fax	(636) 923-3002
email	info@VapcoProducts.com

Emergency phone number

(800) 255-3924

SECTION 2: Hazard identification

Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 1
- Corrosive to metals, Cat. 1
- Skin corrosion/irritation, Cat. 1

Safety Data Sheet

GHS label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage
H290 May be corrosive to metals

Precautionary statement(s)

P234 Keep only in original container.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands and other exposed areas thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor if exposed or concerned.
P321 Specific treatment (see First Aid on this label).
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material-damage.
P405 Store locked up.
P406 Store in a corrosive resistant container with a resistant inner liner.
P501 Dispose of contents/container to the specifications of local, regional, national, and international regulations.

SECTION 3: Composition/information on ingredients

Mixtures

Hazardous components

1. Sodium hydroxide

Concentration 15 - 30 % (weight)
EC no. 215-185-5
CAS no. 1310-73-2
Index no. 011-002-00-6

2. Potassium hydroxide

Concentration 1 - 10 % (weight)
EC no. 215-181-3
CAS no. 1310-58-3
Index no. 019-002-00-8

Safety Data Sheet

3. Sodium metasilicate pentahydrate

Concentration	1 - 10 % (weight)
EC no.	229-912-9
CAS no.	6834-92-0
Index no.	014-010-00-8

4. D-Glucopyranose, oligomeric, decyl octyl glycosides

Concentration	0.1 - 1 % (weight)
EC no.	500-220-1
CAS no.	68515-73-1

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
If inhaled	First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice/attention.
In case of skin contact	Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing immediately. Obtain medical attention if irritation develops or persists.
In case of eye contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
If swallowed	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most important symptoms/effects, acute and delayed

Symptoms/Injuries: Harmful if inhaled. Causes serious eye and skin irritation.

Symptoms/Injuries After Skin Contact: Contact causes severe irritation with burns. Dermatitis may occur due to long-term irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of conjunctiva. Contact with gas/liquid escaping the container can cause permanent eye damage.

Chronic Health Hazards: Skin disorders, drying and irritation of the skin.

Indication of immediate medical attention and special treatment needed, if necessary

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. Note to physician: The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, dry chemical, or sand. Use appropriate media for surrounding fire.

Safety Data Sheet

Specific hazards arising from the chemical

Reactivity: May be corrosive to metals and reactive to strong acids. Increased risk of fire or explosion.

Special protective actions for fire-fighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use dry chemical, foam, or carbon dioxide (CO₂). Do not breathe fumes from fire or vapors from decomposition. Do NOT fight fire when fire reaches containers. Evacuate area. Fight fire remotely due to the risk of explosion. Shut off all sources of ignition. Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. Wear NIOSH-approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

Hazardous Combustion Products: Carbon monoxide (CO) and carbon dioxide (CO₂), nitrogen oxides, and metal oxide(s).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapors, spray, mist, gas. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedure: Eliminate ignition source first, then ventilate the area. Evacuate unnecessary personnel, isolate, and ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Methods and materials for containment and cleaning up

For Containment: Ventilate area. Contain any spills with dikes or absorbents to prevent further migration and entry into sewers or streams. Dilute spill with large quantities of water and then neutralize with a dilute acid. Flush area with water until clean. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Eliminate all ignition sources. Ventilate area. Stop the ignition source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Take up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Dilute spill with large quantities of water and then neutralize with a dilute acid. Flush area with water until clean. Contact competent authorities after a spill.

Waste Disposal: Dispose of in accordance with local, regional, national, and international regulations. Containers may be hazardous when empty. Do not flame cut, braze, or weld. Check the pH of the waste to be disposed: if it is greater than 12.5, it must be handled as a RCRA hazardous waste. May be subjected to disposal regulations: U.S. EPA 40 CFR 261. Hazardous waste number(s): D002.

Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

Safety Data Sheet

Precautions for safe handling

Additional Hazards When Processed: Do not pressurize, cut, or weld containers. Ruptured cylinders may rocket. Pressurized container: May burst if heated. Do not pierce or burn, even after use.

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe gas, mist, spray, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on open flame or other ignition source.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Other Precautions: Keep out of reach of children. Follow label instructions. Vapors may collect in low lying area.

Conditions for safe storage, including any incompatibilities

Technical Measures: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Store in a dry, cool place. Keep only in the original container in a cool, well-ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

Incompatible Materials: Strong acids and chemically active metals.

Specific end use(s)

Alkaline Condenser Coil Cleaner

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 1310-58-3 (EC: 215-181-3)

Potassium hydroxide

ACGIH (USA): 2 mg/m³ PEL-C inhalation; Cal/OSHA (USA): 2 mg/m³ PEL-C inhalation; NIOSH (USA): 2 mg/m³ PEL-C inhalation

CAS: 1310-73-2

Sodium hydroxide

ACGIH (USA): (C) 2 mg/m³ TLV® inhalation; Cal/OSHA (USA): (C) 2 mg/m³ PEL inhalation; NIOSH (USA): (C) 2 mg/m³ REL inhalation; OSHA (USA): 2 mg/m³ PEL inhalation

Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Use only outdoors or in well-ventilated area. Ensure all local, regional, national, and international regulations are observed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Chemical safety goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type.

Safety Data Sheet

Skin protection

Wear protective gloves and clothing.

Body protection

Wear suitable protective clothing. Wear protective gloves. Chemical resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

Respiratory protection

Use a NIOSH-approved Self-Containing Breathing Apparatus whenever exposure may exceed established Occupational Exposure Limits.

SECTION 9: Physical and chemical properties and safety characteristics

Basic physical and chemical properties

Physical state	Liquid
Appearance	Brown liquid
Color	Brown
Odor	Characteristic
Odor threshold	N/D
Melting point/freezing point	< 32°F (0°C)
Boiling point or initial boiling point and boiling range	N/D
Flammability	Not considered a flammable liquid by OSHA (29 CFR 1910.1200)
Lower and upper explosion limit/flammability limit	N/D
Flash point	N/D
Auto-ignition temperature	N/D
Decomposition temperature	N/D
pH	13
Kinematic viscosity	N/D
Solubility	Completely soluble in water
Partition coefficient n-octanol/water (log value)	N/D
Vapor pressure	23.8 mmHg at 77°F (25°C)
Evaporation rate	< 0.8 (Slow)
Density and/or relative density	1.25
Relative vapor density	1

Further safety characteristics (supplemental)

Volatile Organic Compounds: 0%

SECTION 10: Stability and reactivity

Reactivity

May react with strong acids and chemically active metals.

Chemical stability

Stable.

Possibility of hazardous reactions

None known.

Safety Data Sheet

Conditions to avoid

Chlorine liberating material. Do not mix with bases, ammonia, or other cleaning compounds. Direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible materials

Strong acids and chemically active metals.

Hazardous decomposition products

Carbon oxides, nitrogen oxides, sodium oxides, metal oxides.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

D-Glucopyranose, oligomeric, decyl octyl glycosides
LC50 - Fish - 170 mg/L - 96 h

Potassium hydroxide

LD50 Oral - Rat - 333 mg/kg

LC50 - Gambusia affinis (mosquito fish) - 80 mg/l - 96 h

Sodium hydroxide

LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 45.4 mg/l - 96 h

EC50 - Daphnia magna (water flea) - 40.38 mg/l - 48 h

LC50 - Poecilia reticulata (guppy) - 196 mg/l - 96 h

Skin corrosion/irritation

Causes severe burns, prolonged contact will destroy tissue.

Serious eye damage/irritation

Causes severe burns, stinging, redness, swelling, and may cause corneal damage, blindness. Burning may not be immediately painful or visible.

Respiratory or skin sensitization

May cause irritation (possible severe), chemical burns, upper respiratory damage, and pulmonary edema.

Germ cell mutagenicity

Not classified.

Carcinogenicity

Not classified.

Reproductive toxicity

Not classified.

STOT-single exposure

Causes severe burns, prolonged contact will destroy tissue.

Safety Data Sheet

STOT-repeated exposure

Dermatitis may occur due to long-term irritation. Upper respiratory damage, chemical burns, and pulmonary edema. Potential loss of sight.

Aspiration hazard

Not classified.

Additional information

Medical Condition Aggravated: Pre-existing disorders of the skin, respiratory system, and eyes will be aggravated by over exposure.

Symptoms/Injuries: Harmful if inhaled. Causes serious eye and skin irritation.

Symptoms/Injuries After Skin Contact: Contact causes severe irritation with burns. Dermatitis may occur due to long-term irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of conjunctiva.

Contact with gas/liquid escaping the container can cause permanent eye damage.

Chronic Health Hazards: Skin disorders, drying and irritation of the skin.

SECTION 12: Ecological information

Toxicity

D-Glucopyranose, oligomeric, decyl octyl glycosides

LC50 - Fish - 170 mg/L - 96 h

Potassium hydroxide

LD50 Oral - Rat - 333 mg/kg

LC50 - Gambusia affinis (mosquito fish) - 80 mg/l - 96 h

Sodium hydroxide

LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 45.4 mg/l - 96 h

EC50 - Daphnia magna (water flea) - 40.38 mg/l - 48 h

LC50 - Poecilia reticulata (guppy) - 196 mg/l - 96 h

Persistence and degradability

This product is biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate.

Mobility in soil

This product is mobile in soil.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations. Do not pierce or burn, even after use.

Safety Data Sheet

Waste treatment

Check the pH of the waste to be disposed: if it is greater than 12.5, it must be handled as a RCRA hazardous waste. May be subjected to disposal regulation: U.S. EPA 40 CFR 261. Hazardous waste number(s): D002.

Other disposal recommendations

Container may remain hazardous when empty. Continue to observe all precautions. Do not puncture or incinerate container.

SECTION 14: Transport information

DOT (US)

UN Number: UN1719

Class: 8

Packing Group: II

Proper Shipping Name: Caustic alkali liquids, n.o.s.

IMDG

UN Number: UN1719

Class: 8

Packing Group: II

Proper Shipping Name: Caustic alkali liquids, n.o.s.

IATA

UN Number: UN1719

Class: 8

Packing Group: II

Proper Shipping Name: Caustic alkali liquids, n.o.s.

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian Domestic Substances List (DSL)

Chemical name: Lignosulfonic acid, sodium salt

CAS: 8061-51-6

Chemical name: D-Gluconic acid, monosodium salt

CAS: 527-07-1

Chemical name: Potassium hydroxide (K(OH))

CAS: 1310-58-3

Chemical name: Sodium hydroxide (Na(OH))

CAS: 1310-73-2

Chemical name: D-Glucopyranose, oligomeric, decyl octyl glycosides

CAS: 68515-73-1

Safety Data Sheet

CERCLA (Comprehensive Response Compensation, and Liability Act)

Potassium Hydroxide (1310-58-3) Reportable Quantity = 1,000 lbs; Sodium Hydroxide (1310-73-2) Reportable Quantity = 1,000 lbs

Massachusetts Right To Know Components

Potassium hydroxide
CAS-No. 1310-58-3

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

New Jersey Right To Know Components

Potassium hydroxide
CAS-No. 1310-58-3

Common name: SODIUM HYDROXIDE
CAS number: 1310-73-2

Pennsylvania Right To Know Components

Potassium hydroxide
CAS-No. 1310-58-3

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Acute Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Toxic Substances Control Act (TSCA) Inventory

All chemicals are listed or exempt.

SECTION 16: Other information

N/A = Not applicable; N/D = Not determined

Further information/disclaimer

To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The

Safety Data Sheet

information contained in this SDS was obtained from current and reliable sources; however, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

Preparation information

Prepared by: Jessica Wilson

Date prepared: 6/3/2022

